

දුරකථන) 0112669192 , 0112675011
தொலைபேசி) 0112698507 , 0112694033
Telephone) 0112675449 , 0112675280

ෆැක්ස්) 0112693866
பெக்ஸ்) 0112693869
Fax) 0112692913

විද්‍යුත් තැපෑල) postmaster@health.gov.lk
மின்னஞ்சல் முகவரி)
e-mail)

වෙබ් අඩවිය) www.health.gov.lk
இணையத்தளம்)
website)



සුවසිරිපාය
சுவசிரிபாய

SUWASIRIPAYA

සෞඛ්‍ය ආමාත්‍යාංශය
சுகாதார அமைச்சு
Ministry of Health

මගේ අංකය)
எனது இல)
My No.) CF/EXE/02/2021

ඔබේ අංකය)
உமது இல)
Your No. :)

දිනය)
திகதி)
Date) 02/03/2023

Provincial Health Secretaries,
Deputy Director General - National Hospital of Sri Lanka,
Director - National Hospital, Kandy,
Provincial Directors of Health Services,
All Hospital Directors under the Line Ministry,
Regional Directors of Health Services,
Heads of Departments,

**Efficiency Bar Examination and Departmental Examination for Medical Laboratory
Technologists in Grade II/ Seg. II "A" - 2021**

The above examination was held on 29.01.2022 and 30.01.2022 in terms of the **General Circular Letter No: 02 - 103/ 2021** dated 26.10.2021 and the results sheet of the same is attached here with.

02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.

03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within one month of the receipt of this letter. Any request made in this connection later will not be considered.


04. The information is also available in website – www.health.gov.lk

Chamika H. Gamage
Deputy Director General (Administration) II
Ministry of Health
"Suwasiripaya"
Colombo 10.

Chamika H. Gamage
Deputy Director General (Admin) II
For Secretary

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
01	P M R Deniyegedara	Teaching Hospital - Peradeniya	198418801842	S	M 01	48	P	71	P	43	P	57	P	49	P
02	D P C J Peiris	Teaching Hospital - Peradeniya	832780669V	S	M 02	55	P	80	P	54	P	61	P	49	P
03	G K T Garusingha	Teaching Hospital - Peradeniya	198530901294	S	M 03	54	P	59	P	44	P	53	P	56	P
04	W W R S K Chandrasena	Teaching Hospital - Peradeniya	198284103074	S	M 04	57	P	66	P	50	P	52	P	58	P
05	W M R P Bandara	Teaching Hospital - Peradeniya	870105290V	S	M 05	44	P	56	P	44	P	55	P	45	P
06	W G Chandimal	Occupational Health Centre - Habaraduwa	841080025V	S	M 06	45	P	55	P	42	P	AB		AB	
07	D M Delpachithra	Teaching Hospital - Karapitiya	860222493V	S	M 07	67	P	59	P	54	P	56	P	43	P
08	J M N T Jayasundara	District Base Hospital - Dambulla	856810550V	S	M 08	42	P	57	P	50	P	56	P	51	P
09	R I B J S B Rathnamalala	District General Hospital - Matale	198212203580	E	M 09	NA		NA		46	P	NA		NA	
10	R M V H C Rajapaksha	Base Hospital - Mawanella	198558900399	S	M 10	57	P	74	P	47	P	63	P	56	P
11	H M M P Jayathilaka	District General Hospital - Matale	840730450V	S	M 11	49	P	66	P	52	P	AB		AB	
12	M M Ranathunga	Base Hospital - Medawachchiya	838592929V	E	M 12	NA		NA		NA		AB		AB	
13	A B M G Deshapriya	Medical Research Institute - Borella	198414201094	S	M 13	75	P	55	P	42	P	61	P	40	P
14	W G N D H Weerasinghe	Medical Research Institute - Borella	855810743V	S	M 14	56	P	68	P	45	P	68	P	58	P
15	D R A Dulani	Medical Supplies Division - Colombo	815920198V	S	M 15	66	P	54	P	AB		AB		AB	


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
16	K W A A C Wicramaarachchi	Medical Supplies Division - Colombo	852270306V	S	M 16	60	P	61	P	42	P	52	P	40	P
17	B M C Bandaranayaka	District General Hospital - Vavuniya	850142505V	S	M 17	62	P	54	P	45	P	53	P	49	P
18	K M M P Keerthisinghe	General Hospital - Ampara	837895057V	S	M 18	27	F	52	P	46	P	52	P	41	P
19	N A C P Wijayawardhana	Base Hospital - Kalawana	831763680V	S	M 19	43	P	55	P	40	P	51	P	56	P
20	S Vaseekaran	Teaching Hospital - Jaffna	770030013V	T	M 20	AB		AB		AB		NA		NA	
21	U L G D Senarathna	District General Hospital - Vavuniya	852394382V	S	M 21	43	P	59	P	54	P	53	P	41	P
22	H P G Thusharika	Teaching Hospital - Karapitiya	856591409V	S	M 22	60	P	61	P	58	P	57	P	62	P
23	G K J N Udara	Teaching Hospital - Karapitiya	198530403478	S	M 23	66	P	62	P	63	P	55	P	47	P
24	N Basnayake	Teaching Hospital - Karapitiya	846121846V	S	M 24	56	P	64	P	54	P	53	P	43	P
25	G R Kulasinghe	Teaching Hospital - Karapitiya	198377702923	S	M 25	67	P	64	P	50	P	50	P	53	P
26	P G P R Sooriyarachci	Teaching Hospital - Karapitiya	198619900214	S	M 26	54	P	59	P	51	P	58	P	54	P
27	K E I Udayanthi	Teaching Hospital - Karapitiya	837833450V	S	M 27	NA		NA		NA		50	P	50	P
28	M H R Sampath	Teaching Hospital - Karapitiya	850093040V	S	M 28	48	P	54	P	46	P	49	P	50	P
29	G V D T Premalal	Teaching Hospital - Karapitiya	198581903850	S	M 29	55	P	51	P	49	P	62	P	48	P
30	B G S Yapa	Teaching Hospital - Karapitiya	856570258V	S	M 30	52	P	42	P	43	P	49	P	40	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
31	H L C Miyuranga	Teaching Hospital - Karapitiya	841400720V	S	M 31	26	F	41	P	24	F	41	P	18	F
32	U G D D K Dharmadasa	District General Hospital - Polonnaruwa	845092664V	S	M 32	79	P	60	P	58	P	59	P	49	P
33	P G N P Gamage	District General Hospital - Polonnaruwa	841671660V	S	M 33	65	P	60	P	46	P	53	P	40	P
34	M M R C S Muruddeniya	District General Hospital - Polonnaruwa	831424583V	S	M 34	52	P	61	P	41	P	53	P	50	P
35	M S Raziya	National Hospital - Kandy	895122688V	T	M 35	58	P	87	P	42	P	65	P	62	P
36	K G K Malkanthi	National Hospital - Kandy	856431371V	S	M 36	AB		AB		AB		AB		AB	
37	I D K A Navarathna	National TB Programme	833004379V	S	M 37	AB		AB		AB		AB		AB	
38	M C D De Silva	National Tuberculosis Reference Laboratory - Welisara	867210857V	S	M 38	70	P	71	P	43	P	51	P	40	P
39	M K R I Wickramarathna	National Tuberculosis Reference Laboratory - Welisara	198554200031	S	M 39	57	P	67	P	40	P	56	P	59	P
40	M Amarasinghe	De Soysa Hospital for Women (Teaching) - Colombo 08	850111669V	S	M 40	53	P	65	P	41	P	59	P	50	P
41	P G S Rodrigo	De Soysa Hospital for Women (Teaching) - Colombo 08	198513500446	S	M 41	44	P	61	P	40	P	59	P	60	P
42	W S W Fernando	De Soysa Hospital for Women (Teaching) - Colombo 08	826380829V	S	M 42	52	P	60	P	43	P	55	P	51	P
43	R M S D Kumara	Teaching Hospital - Rathnapura	761620738V	S	M 43	48	P	49	P	43	P	44	P	24	F
44	A M U Sandaruwan	Teaching Hospital - Rathnapura	822413811V	S	M 44	46	P	43	P	40	P	49	P	41	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10.

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
45	K G D Karunaratna	Teaching Hospital - Rathnapura	847920696V	S	M 45	AB		AB		AB		AB		AB	
46	M J Mohamed Riswan	Base Hospital - Kalmunai (North)	831871512V	T	M 46	28	F	42	P	45	P	56	P	40	P
47	S Nishanthini	Base Hospital - Kalmunai (North)	876081334V	T	M 47	53	P	60	P	53	P	57	P	55	P
48	K G C K Wickramasinghe	National Institute of Mental Health - Mulleriyawa	858642558V	S	M 48	72	P	59	P	44	P	56	P	58	P
49	T D A Silva	National Hospital of Sri Lanka - Colombo 10	853452190V	S	M 49	41	P	55	P	47	P	58	P	63	P
50	W M L K Warnapura	Base Hospital - Homagama	198577800981	S	M 50	48	P	70	P	54	P	54	P	65	P
51	A M S R Chathuranga	Provincial General Hospital - Badulla	860270501V	S	M 51	47	P	73	P	46	P	56	P	59	P
52	H A K N Perera	National Blood Transfusion Service - Colombo 05	842213860V	S	M 52	AB		AB		AB		63	P	49	P
53	L G Y D Prasanna	Apeksha Hospital - Maharagama	841370228V	S	M 53	58	P	40	P	44	P	54	P	40	P
54	H P Abeywickrama	Provincial General Hospital - Badulla	840411818V	S	M 54	54	P	64	P	42	P	62	P	65	P
55	T M A P Bandara	Provincial General Hospital - Badulla	852813466V	S	M 55	AB		AB		AB		47	P	40	P
56	H M M Susantha	Provincial General Hospital - Badulla	763073866V	S	M 56	NA		59	P	NA		NA		NA	
57	J T M Jayasooriya	Provincial General Hospital - Badulla	820643402V	S	M 57	53	P	55	P	28	F	43	P	40	P
58	R M S Rathnayaka	Provincial General Hospital - Badulla	855421437V	S	M 58	35	F	52	P	44	P	42	P	40	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
59	M R F Rihana	National Hospital of Sri Lanka - Colombo 10	855811065V	T	M 59	66	P	78	P	50	P	55	P	50	P
60	M S Garusinghe	National Hospital of Sri Lanka - Colombo 10	857430786V	S	M 60	41	P	56	P	46	P	48	P	48	P
61	T S J K Peiris	National Hospital of Sri Lanka - Colombo 10	857430204V	S	M 61	75	P	73	P	56	P	56	P	80	P
62	K K D Dinusha	The National Hospital of Sri Lanka - Colombo 10	858031494V	S	M 62	62	P	75	P	47	P	59	P	62	P
63	R M D D K Abeysinghe	The National Hospital of Sri Lanka - Colombo 10	855022982V	S	M 63	NA		68	P	NA		NA		NA	
64	K P D I Ariyasena	The National Hospital of Sri Lanka - Colombo 10	861101983V	E	M 64	AB		AB		AB		AB		AB	
65	R M B Kumara	National Hospital of Sri Lanka - Colombo 10	831283637V	S	M 65	AB		AB		AB		AB		AB	
66	D K N Galabadaarachchi	STD Clinic - Kalutara	198327402180	S	M 66	54	P	59	P	47	P	71	P	43	P
67	B S Yasandi	Base Hospital - Panadura	845022046V	S	M 67	52	P	61	P	40	P	49	P	40	P
68	W H weragala	Base Hospital - Panadura	198225803555	S	M 68	80	P	63	P	NA		NA		NA	
69	K V R I Jayasekara	Base Hospital - Panadura	822630260V	S	M 69	60	P	40	P	47	P	56	P	50	P
70	D N Mallikarachchi	District Hospital - Meegahatenna	198220303865	S	M 70	46	P	51	P	43	P	54	P	50	P
71	L S S K Dissanayake	District Hospital - Ittapanana	198471900434	S	M 71	54	P	61	P	54	P	55	P	46	P
72	T R T Perera	Base Hospital - Horana	198234600619	S	M 72	62	P	61	P	52	P	57	P	56	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**

Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
73	H P D I S Patabendi	Divisional Hospital - Baduraliya	827390119V	S	M 73	59	P	46	P	42	P	51	P	40	P
74	A M S Ahamed	Base Hospital - Akkaraipattu	832293067V	T	M 74	58	P	61	P	49	P	66	P	53	P
75	K M S I Kumarasinghe	Teaching Hospital - Anuradhapura	812012487V	S	M 78	71	P	67	P	42	P	56	P	53	P
76	K A R R P Kumara	Teaching Hospital - Anuradhapura	840621871V	S	M 79	67	P	62	P	47	P	48	P	48	P
77	K P Wanniarachchi	Teaching Hospital - Anuradhapura	877333876V	S	M 80	67	P	57	P	42	P	58	P	54	P
78	W W N P Fernando	Teaching Hospital - Anuradhapura	866870667V	S	M 81	67	P	55	P	46	P	53	P	68	P
79	R P I N Rajapaksha	Teaching Hospital - Anuradhapura	811871079V	S	M 82	57	P	64	P	50	P	51	P	55	P
80	L W S Nimalsiri	Teaching Hospital - Anuradhapura	832102644V	S	M 83	63	P	56	P	NA		NA		NA	
81	J A M N Jayasooriya	Teaching Hospital - Anuradhapura	855763818V	S	M 84	84	P	65	P	54	P	59	P	60	P
82	D K G N Hemamali	Teaching Hospital - Anuradhapura	836473671V	S	M 85	AB		AB		AB		AB		AB	
83	D V R J Bandara	Teaching Hospital - Kurunegala	842361192V	S	M 86	45	P	54	P	43	P	58	P	48	P
84	D H P Ekanayake	Teaching Hospital - Kurunegala	851371303V	S	M 87	70	P	62	P	49	P	59	P	53	P
85	R A H M D Monnankulama	Teaching Hospital - Kurunegala	801481710V	S	M 88	60	P	71	P	49	P	70	P	61	P
86	R S D Rajapaksha	Teaching Hospital - Kurunegala	830900527V	S	M 89	57	P	71	P	48	P	48	P	40	P
87	M D T P Wimalasena	Teaching Hospital - Kurunegala	832190381V	S	M 90	71	P	78	P	43	P	47	P	42	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya"
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
88	M D K P Wejsooriya	Teaching Hospital - Kurunegala	878161211V	S	M 91	AB		AB		AB		60	P	49	P
89	M D Premathilaka	Teaching Hospital - Kurunegala	811142360V	S	M 92	55	P	49	P	41	P	47	P	40	P
90	K D C Thilakarathna	Teaching Hospital - Kurunegala	865021003V	E	M 93	NA		NA		52	P	NA		NA	
91	H M D Herath	Colombo East Base Hospital - Mulleriyawa	197886301944	S	M 94	75	P	74	P	53	P	57	P	57	P
92	J K M P N B Jayasekara	Colombo East Base Hospital - Mulleriyawa	833621866V	S	M 95	51	P	49	P	46	P	52	P	40	P
93	M D A I S K Jayathilaka	District General Hospital - Kilinochchi	841903641V	S	M 96	49	P	50	P	40	P	AB		AB	
94	Y G S C Bandara	Base Hospital (Teaching) - Gampola	851721924V	S	M 97	31	F	42	P	AB		43	P	40	P
95	R Threeswaran	Teaching Hospital - Jaffna	840813371V	T	M 98	45	P	40	P	46	P	59	P	50	P
96	A T S Silva	Colombo South Teaching Hospital - Kalubowila	848112836V	S	M 99	67	P	51	P	41	P	78	P	61	P
97	D A E De Silva	Castle Street Hospital for Women (Teaching) - Colombo 08	876031930V	S	M 100	54	P	51	P	41	P	51	P	54	P
98	W A C L Jayasekara	Castle Street Hospital for Women (Teaching) - Colombo 08	857252985V	S	M 101	61	P	55	P	40	P	56	P	50	P
99	M B M Suranga	Castle Street Hospital for Women (Teaching) - Colombo 08	841573820V	S	M 102	61	P	59	P	49	P	54	P	54	P
100	M I D Gunarathna	District General Hospital - Gampaha	198428303280	S	M 103	42	P	61	P	29	F	51	P	46	P
101	S Amarasuriya	District General Hospital - Gampaha	825364161V	S	M 104	29	F	36	F	40	P	46	P	41	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
102	L P C P Jayasekara	Base Hospital - Wathupitiwala	198321801080	S	M 105	49	P	54	P	46	P	60	P	54	P
103	M H P S Kumara	Colombo North Teaching Hospital - Ragama	851940820V	S	M 106	50	P	71	P	41	P	59	P	51	P
104	T Sobithan	Base Hospital - Kalmunai (North)	198332000631	T	M 107	69	P	66	P	57	P	57	P	74	P
105	G Janagi	Base Hospital - Kalmunai (North)	866733783V	T	M 108	72	P	63	P	58	P	59	P	64	P
106	R M A R Rajamanthre	Sirimavo Bandaranayake Specialized Children's Hospital (Teaching) - Peradeniya	846492100V	S	M 109	43	P	46	P	AB		51	P	40	P
107	M R S Costa	National STD/AIDS Control Programme - Colombo 10	835632520V	E	M 110	NA		NA		44	P	NA		NA	
108	S D T Nishani	National STD/AIDS Control Programme - Colombo 10	198562300023	S	M 111	49	P	67	P	43	P	69	P	55	P
109	N C Ahangama	Divisional Hospital - Raththota	198377402684	S	M 112	58	P	68	P	53	P	50	P	46	P
110	W M M P K Wickramasinghe	STD Clinic - Matale	836601610V	S	M 113	55	P	73	P	50	P	42	P	40	P
111	W L S Wanigasinghe	District General Hospital - Matale	790760867V	S	M 114	54	P	65	P	44	P	55	P	45	P
112	M A N Kumara	Teaching Hospital - Mahamodara	841891244V	S	M 115	47	P	58	P	47	P	59	P	50	P
113	S M S G Perera	Teaching Hospital - Mahamodara	865571747V	S	M 116	29	F	47	P	64	P	53	P	60	P
114	W A T W Wicramasinghe	Teaching Hospital - Kalutara	198455103031	S	M 117	56	P	71	P	55	P	51	P	69	P
115	G S Suranga	Teaching Hospital - Kalutara	853153028V	S	M 118	64	P	58	P	46	P	53	P	58	P
116	E D S T Dissanayake	District General Hospital - Embilipitiya	803093067V	S	M 119	46	P	68	P	53	P	56	P	51	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
117	G A W Lakmal	District General Hospital - Embilipitiya	872850171V	S	M 120	41	P	60	P	41	P	72	P	65	P
118	S D M D Kumari	Base Hospital - Kahawaththa	847120150V	S	M 121	52	P	76	P	60	P	53	P	51	P
119	M S M Zaky	Base Hospital - Mawanella	850960852V	T	M 122	AB		AB		AB		AB		AB	
120	M A Arafath	Base Hospital - Mutur	840514676V	T	M 123	53	P	69	P	42	P	43	P	40	P
121	T W M C J Premarathna	Base Hospital - Bibila	852230355V	S	M 124	54	P	68	P	53	P	53	P	40	P
122	S Ekanayake	Base Hospital (Teaching) - Gampola	851254145V	S	M 125	50	P	70	P	40	P	48	P	54	P
123	W C A K Wickramasinghe	District General Hospital - Nuwara Eliya	830352449V	S	M 126	43	P	63	P	53	P	53	P	68	P
124	J G I Gangani	Teaching Hospital - Mahamodara	198175003500	S	M 127	46	P	56	P	49	P	50	P	56	P
125	D N M Dahanayaka	Colombo South Teaching Hospital - Kalubowila	846461868V	S	M 128	79	P	70	P	46	P	53	P	69	P
126	E H K S D Gunarathna	Colombo North Teaching Hospital - Ragama	198270103790	S	M 129	40	P	60	P	40	P	54	P	43	P
127	R A R I Ranasinghe	Colombo North Teaching Hospital - Ragama	862840895V	S	M 130	AB		AB		AB		AB		AB	
128	R Madurawala	Colombo North Teaching Hospital - Ragama	866971099V	S	M 131	49	P	56	P	48	P	55	P	53	P
129	E M D M Epitakumbura	National Hospital - Kandy	830675108V	S	M 132	AB		AB		AB		AB		AB	
130	Y D Jayawardhana	National Hospital - Kandy	198229604036	S	M 133	42	P	68	P	45	P	58	P	53	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**

Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
131	D M L D K Dissanayaka	National Hospital - Kandy	198360501904	S	M 134	42	P	59	P	49	P	45	P	40	P
132	B G M R K Nuska	National Hospital - Kandy	198354501275	S	M 135	46	P	68	P	52	P	54	P	66	P
133	R S Herath	National Hospital - Kandy	836091566V	S	M 136	44	P	71	P	55	P	49	P	64	P
134	K A P M Perera	District General Hospital - Monaragala	817840434V	S	M 137	NA		NA		44	P	NA		NA	
135	M B F Nushra	District Hospital - Akurana	837690439V	T	M 138	AB		AB		41	P	54	P	40	P
136	D M C D dasanayaka	District General Hospital - Monaragala	842653819V	S	M 139	40	P	57	P	40	P	48	P	41	P
137	M S Kapila	District General Hospital - Monaragala	852633379V	S	M 140	70	P	70	P	54	P	51	P	52	P
138	E H Ranga	District General Hospital - Monaragala	853120626V	S	M 141	46	P	52	P	41	P	68	P	43	P
139	D K Pradeep	District General Hospital - Monaragala	842903670V	S	M 142	40	P	57	P	41	P	59	P	40	P
140	K A D S Rangajith	District General Hospital - Monaragala	833291408V	S	M 143	44	P	68	P	40	P	53	P	40	P
141	D P P M Nishshanka	District General Hospital - Monaragala	841591585V	S	M 144	47	P	55	P	44	P	50	P	43	P
142	K G M Rangana	District General Hospital - Monaragala	831220724V	S	M 145	47	P	77	P	54	P	55	P	52	P
143	D M T R Kumara	District General Hospital - Monaragala	850611270V	S	M 146	64	P	78	P	63	P	60	P	59	P
144	K Kajendrakumar	Teaching Hospital - Batticaloa	842101948V	T	M 147	56	P	61	P	44	P	53	P	56	P
145	T Suthakar	Teaching Hospital - Batticaloa	831842245V	T	M 148	50	P	62	P	47	P	54	P	46	P




 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
146	I M Anfas	Teaching Hospital - Batticaloa	841970551V	T	M 149	62	P	62	P	48	P	56	P	53	P
147	Y Vaveenthiran	Teaching Hospital - Batticaloa	821973082V	T	M 150	51	P	71	P	50	P	54	P	50	P
148	I S W Ponnampereuma	National Institute of Infectious Diseases - Angoda	838022952V	S	M 151	69	P	57	P	44	P	75	P	62	P
149	B M T Hettige	Teaching Hospital - Anuradhapura	822150730V	E	M 152	NA		NA		46	P	AB		AB	
150	B B I N Priyankara	Base Hospital - Wathupitiwala	843653162V	S	M 153	66	P	73	P	62	P	64	P	66	P
151	G A C P Wimalaratne	SID - Gampaha	832742830V	S	M 154	AB		AB		AB		AB		AB	
152	D C A Withanage	District General Hospital - Matara	198307601624	S	M 155	53	P	57	P	45	P	54	P	42	P
153	A W G M Sameera	Teaching Hospital - Rathnapura	823371390V	S	M 156	54	P	76	P	41	P	50	P	56	P
154	P D Wickramarachchi	Colombo South Teaching Hospital - Kalubowila	847431130V	S	M 157	61	P	64	P	50	P	64	P	75	P
155	H P I Asanka	Colombo South Teaching Hospital - Kalubowila	198305301297	S	M 158	52	P	43	P	43	P	62	P	58	P
156	D C Nanayakkara	Colombo South Teaching Hospital - Kalubowila	842582890V	S	M 159	68	P	46	P	50	P	51	P	50	P
157	B M C K Balasooriya	Teaching Hospital - Kuliypitiya	198435600148	S	M 160	77	P	71	P	60	P	61	P	62	P
158	S S Gamage	Colombo South Teaching Hospital - Kalubowila	198577004711	S	M 161	73	P	64	P	50	P	62	P	55	P
159	K L J Hasaranga	Colombo South Teaching Hospital - Kalubowila	823534051V	S	M 162	61	P	59	P	NA		NA		NA	


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
160	G P N Dharmasena	Colombo South Teaching Hospital - Kalubowila	856250652V	S	M 163	66	P	62	P	51	P	53	P	55	P
161	S M Maxworth	Colombo South Teaching Hospital - Kalubowila	860481227V	S	M 164	66	P	47	P	43	P	57	P	64	P
162	R M I U Rathnayake	Colombo South Teaching Hospital - Kalubowila	198585902402	S	M 165	76	P	70	P	56	P	53	P	68	P
163	M A D I D Perera	District General Hospital - Monaragala	836370830V	S	M 166	62	P	54	P	41	P	51	P	42	P
164	D K K P Senadheera	Teaching Hospital - Rathnapura	841291271V	S	M 167	49	P	57	P	40	P	50	P	31	F
165	M T D Rathnasekara	Teaching Hospital - Rathnapura	832284300V	S	M 168	50	P	58	P	32	F	53	P	40	P
166	W K J Senarathna	Teaching Hospital - Rathnapura	822992420V	S	M 169	NA		68	P	NA		NA		NA	
167	K G M Samaranyaka	Teaching Hospital - Rathnapura	198333101956	S	M 170	40	P	69	P	29	F	58	P	40	P
168	S D S P Kumari	Teaching Hospital - Rathnapura	198364200810	S	M 171	58	P	57	P	40	P	55	P	51	P
169	P G I Sanjeevani	Southern Regional Blood Center - Kamburugamuwa	835873196V	S	M 172	NA		NA		40	P	NA		NA	
170	E G C Abeysinghe	National Blood Transfusion Service - Colombo 05	198318002243	S	M 173	49	P	58	P	51	P	59	P	55	P
171	S P B S Udayangani	District Hospital - Sooriyawewa	775074183V	S	M 174	43	P	13	F	41	P	60	P	40	P
172	K A D Thilini	Teaching Hospital - Rathnapura	867350047V	S	M 175	48	P	79	P	42	P	58	P	40	P
173	N Sivaloganathan	Teaching Hospital - Jaffna	836692870V	T	M 176	57	P	62	P	44	P	49	P	59	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya"
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
174	J H A M Perera	Base Hospital - Kamburupitiya	833244728V	E	M 177	49	P	52	P	43	P	47	P	41	P
175	S Umakanthan	Teaching Hospital - Jaffna	822310664V	T	M 178	53	P	48	P	41	P	62	P	51	P
176	M H Samaraweera	Base Hospital - Homagama	855163667V	S	M 179	62	P	57	P	42	P	48	P	53	P
177	M H Jazeera	Divisional Hospital - Addalaichenai	836113926V	T	M 180	70	P	83	P	40	P	49	P	40	P
178	D P B N Ariyawansa	General Hospital (Teaching) - Kegalle	833142542V	S	M 181	AB		AB		AB		AB		AB	
179	M A C S Somachandra	Base Hospital - Warakapola	846773150V	S	M 182	43	P	61	P	41	P	50	P	43	P
180	A Jareena	Divisional Hospital - Chenkalady	826192658V	T	M 183	60	P	88	P	52	P	51	P	48	P
181	H M J C Kumara	Base Hospital - Valaichenai	830420746V	S	M 184	32	F	34	F	44	P	56	P	41	P
182	T D Induruwage	National Institute of Health Sciences - Kalutara	846341536V	S	M 185	63	P	56	P	47	P	55	P	50	P
183	K Kajandran	District General Hospital - Mannar	822734197V	T	M 186	AB		AB		AB		AB		AB	
184	A H M R Damayanthi	District General Hospital - Chilaw	856500772V	S	M 187	84	P	74	P	50	P	53	P	57	P
185	W K D Fernando	National Hospital for Respiratory Diseases - Welisara	863163145V	S	M 188	60	P	45	P	40	P	55	P	52	P
186	A D B Dinesh	National Hospital for Respiratory Diseases - Welisara	842213274V	S	M 189	40	P	57	P	40	P	47	P	41	P
187	H S D Fernando	Base Hospital - Balapitiya	198204204182	S	M 190	AB		AB		AB		AB		AB	
188	W P S G Fernando	District General Hospital - Chilaw	838452086V	S	M 191	78	P	68	P	41	P	53	P	51	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03..03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
189	M S M Sakoor	District General Hospital - Chilaw	841951450V	T	M 192	58	P	68	P	41	P	54	P	54	P
190	G A L Chathuranga	Base Hospital - Balapitiya	852764295V	S	M 193	49	P	32	F	41	P	52	P	57	P
191	N N Jayalath	District General Hospital - Monaragala	858482593V	S	M 194	73	P	66	P	50	P	72	P	51	P
192	I M S D Illankoon	Provincial Director of Health Services - Kurunegala	198284202146	E	M 195	NA		NA		NA		52	P	40	P
193	D M T S Dissanayake	National Blood Transfusion Service - Colombo 05	856533220V	S	M 196	69	P	64	P	47	P	55	P	47	P
194	H N Banu	Divisional Hospital - Wattegama	816561752V	T	M 197	AB		AB		58	P	57	P	48	P
195	M M K Haniya	Chest Clinic - Kandy	868241055V	T	M 198	40	P	41	P	55	P	49	P	23	F
196	A D G Bandara	District General Hospital - Hambantota	842213894V	E	M 199	59	P	58	P	44	P	45	P	64	P
197	K H G K S Kariyawasam	General Hospital - Ampara	842360790V	S	M 200	43	P	64	P	48	P	48	P	50	P
198	K H A Kumarasinghe	Base Hospital - Marawila	673240984V	S	M 201	49	P	62	P	40	P	NA		40	P
199	A P D Rupanjali	Base Hospital - Marawila	825023496V	S	M 202	70	P	71	P	46	P	49	P	43	P
200	J A S B Seneviratna	Base Hospital - Marawila	732080899V	S	M 203	59	P	66	P	31	F	51	P	40	P
201	H K R M Samanthi	District General Hospital - Embilipitiya	827760331V	S	M 204	44	P	71	P	41	P	54	P	40	P
202	T M C M Nandasiri	Base Hospital - Welikanda	821470935V	S	M 205	65	P	58	P	50	P	56	P	40	P
203	H B S Kumara	Base Hospital - Hingurakgoda	833282360V	S	M 206	66	P	58	P	43	P	50	P	43	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**

Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
204	W M M P S K Wicramasinghe	Divisional Hospital - Padiyathalawa	775791519V	S	M 207	40	P	59	P	45	P	40	P	24	F
205	L U Jayasekara	Colombo South Teaching Hospital - Kalubowila	726640629V	E	M 208	NA		NA		NA		AB		AB	
206	R M G C S Rathnayaka	Divisional Hospital - Bakamuna	830201807V	S	M 209	66	P	54	P	50	P	51	P	44	P
207	E N Sameera	Divisional Hospital - Lunugamwehera	821322766V	S	M 210	47	P	49	P	43	P	AB		AB	
208	D H Gamage	Base Hospital - Walasmulla	818404425V	E	M 211	NA		NA		NA		47	P	40	P
209	M S Farween	Ashraff Memorial Hospital - Kalmunai	837800510V	T	M 212	54	P	64	P	43	P	46	P	40	P
210	M T M Rizvi	Ashraff Memorial Hospital - Kalmunai	198516803461	T	M 213	65	P	56	P	44	P	56	P	47	P
211	I L W N Liyanage	General Hospital - Ampara	866173680V	S	M 214	55	P	70	P	57	P	54	P	60	P
212	B V Y Randika	Base Hospital - Homagama	868103523V	S	M 215	71	P	69	P	56	P	65	P	58	P
213	R A Hewawitharana	District General Hospital - Kamburugamuwa	800653029V	S	M 216	52	P	60	P	45	P	51	P	40	P
214	B D M L I Jayarathna	Lady Ridgeway Hospital for Children (Teaching) - Colombo 08	875102478V	S	M 217	60	P	57	P	43	P	55	P	54	P
215	W R S K Ekiriyaagala	Lady Ridgeway Hospital for Children (Teaching) - Colombo 08	856970612V	S	M 218	75	P	65	P	54	P	53	P	57	P
216	E A R K Nilanthi	Lady Ridgeway Hospital for Children (Teaching) - Colombo 08	846923152V	S	M 219	71	P	67	P	43	P	49	P	48	P
217	W P R P Kumara	New District General Hospital - Matara	823573235V	S	M 220	58	P	58	P	40	P	57	P	64	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
218	W M D A Premarathna	Base Hospital - Walasmulla	838393543V	S	M 221	64	P	58	P	43	P	45	P	43	P
219	I D D W Samarasekara	Base Hospital - Tangalla	198405004310	S	M 222	55	P	60	P	42	P	51	P	40	P
220	C R Samarakoon	Apeksha Hospital - Maharagama	831001828V	S	M 223	68	P	59	P	41	P	59	P	41	P
221	M D Maduranga	Apeksha Hospital - Maharagama	841803736V	S	M 224	AB		AB		AB		AB		AB	
222	R I Nalin	Apeksha Hospital - Maharagama	841841751V	S	M 225	56	P	36	F	45	P	55	P	51	P
223	K D I Mauri	Apeksha Hospital - Maharagama	857520394V	S	M 226	71	P	59	P	41	P	58	P	58	P
224	W M A U B Bowatte	Apeksha Hospital - Maharagama	822493319V	S	M 227	55	P	48	P	51	P	65	P	56	P
225	R M P D Rathnayake	Apeksha Hospital - Maharagama	858352720V	S	M 228	65	P	53	P	47	P	60	P	46	P
226	B Rohanadeera	Divisional Hospital - Weeraketiya	198325503425	S	M 229	AB		AB		AB		AB		AB	
227	K Weeranayake	District General Hospital - Matara	840102319V	S	M 230	63	P	58	P	40	P	49	P	50	P
228	P S E Arachchi	Apeksha Hospital - Maharagama	821923883V	S	M 231	77	P	63	P	57	P	69	P	68	P
229	R A S H Rajapaksha	Lady Ridgeway Hospital for Children (Teaching) - Colombo 08	858650780V	S	M 232	75	P	52	P	42	P	57	P	50	P
230	S K Pradeepa	Lady Ridgeway Hospital for Children (Teaching) - Colombo 08	198470502880	S	M 233	66	P	70	P	46	P	55	P	42	P
231	M M Saheem	Base Hospital - Puttalam	852243619V	T	M 234	AB		AB		AB		AB		AB	
232	A M S S Bandara	Base Hospital - Puttalam	198200104723	S	M 235	AB		AB		AB		AB		AB	


 Sanduni G Samarasinghe
 Director (Examinations)
 03/03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
233	A U Punchihewa	District General Hospital - Matara	198333502296	S	M 236	47	P	53	P	41	P	50	P	40	P
234	U A Batheegama	District General Hospital - Matara	840014886V	S	M 237	55	P	61	P	43	P	56	P	55	P
235	J K Samaranyaka	District General Hospital - Matara	840310965V	S	M 238	31	F	32	F	41	P	51	P	48	P
236	H P N U Kumara	District General Hospital - Matara	821680182V	S	M 239	71	P	60	P	43	P	54	P	54	P
237	W D U G C Karunasena	District General Hospital - Kegalle	835063534V	S	M 240	AB		AB		AB		AB		AB	
238	R M S D Rathnayake	Teaching Hospital - Kegalle	835271587V	E	M 241	NA		NA		NA		52	P	59	P
239	K M D S S Kosgallana	District General Hospital - Kegalle	845901694V	S	M 242	56	P	74	P	44	P	AB		AB	
240	T A De Abrew	Teaching Hospital - Kegalle	198422202842	S	M 243	52	P	56	P	41	P	47	P	40	P
241	A L Gunasinghe	District General Hospital - Hambantota	860852845V	S	M 244	AB		AB		AB		AB		AB	
242	L A S C Wimalasinghe	District Base Hospital - Dikoya	831280697V	S	M 245	AB		AB		AB		AB		AB	
243	W M T U V Wijekoon	District Base Hospital - Teldeniya	850592136V	S	M 246	AB		AB		AB		AB		AB	
244	K G Nilmanel	District Base Hospital - Teldeniya	198677402751	S	M 247	42	P	69	P	45	P	AB		AB	
245	N P D G Prabash	Divisional Hospital - Girandurukotte	198526802060	S	M 248	61	P	56	P	52	P	51	P	40	P
246	S H D V Dilruk	Base Hospital - Welimada	198604800190	S	M 249	18	F	45	P	43	P	60	P	46	P
247	N M C G Nawarathne	Base Hospital - Diyathalawa	838583342V	S	M 250	52	P	53	P	59	P	57	P	69	P


 Sanduni G Samarasinghe
 Director (Examinations)
 03./03/2023

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**

Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
248	M A F Silmiya	Divisional Hospital - Kotagala	198585103154	T	M 251	40	P	63	P	43	P	50	P	60	P
249	G L L L Nanayakkara	Base Hospital - Mahiyanganaya	845683778V	S	M 252	52	P	NA		NA		NA		NA	
250	A M J U B Attanayaka	Divisional Hospital - Manikhinna	823454090V	S	M 253	AB		AB		AB		AB		AB	
251	A A S Abeysinghe	District General Hospital - Awissawella	197581502731	S	M 254	NA		62	P	NA		NA		NA	
252	W P C L Dharmapala	District General Hospital - Awissawella	197820703656	S	M 255	45	P	69	P	42	P	50	P	40	P
253	H M S B Nishshanka	Base Hospital - Nikaweratiya	813043467V	S	M 256	22	F	44	P	42	P	69	P	50	P
254	M A Y Senevirathna	Base Hospital - Polpithigama	822082548V	S	M 257	AB		AB		31	F	AB		AB	
255	G D W Sumali	Divisional Hospital - Alawwa	838193455V	S	M 258	80	P	70	P	44	P	57	P	40	P
256	H M L T I Herath	Base Hospital - Nikaweratiya	198309400308	S	M 259	51	P	41	P	47	P	62	P	51	P
257	M B D U kumara	District General Hospital - Awissawella	833630091V	S	P 158	74	P	55	P	51	P	60	P	52	P
258	T I M J Bandara	District General Hospital - Awissawella	847390883V	S	P 159	82	P	61	P	45	P	56	P	55	P
259	S E R Sanjeewa	District General Hospital - Awissawella	842352657V	S	P 162 / M 261	56	P	54	P	43	P	51	P	41	P
260	T M Gamage	District General Hospital - Awissawella	837513790V	S	P 168	65	P	67	P	40	P	56	P	55	P
261	H G B W Yasawardena	District General Hospital - Awissawella	840113191V	S	P 170 / M 263	52	P	51	P	48	P	58	P	51	P


 Sanduni G Samarasinghe
 Director (Examinations)

Sanduni G. Samarasinghe
 Director (Examinations)
 Ministry of Health
 385, "Suwasiripaya",
 Colombo 10.

**Results sheet of the Efficiency Bar Examination and Departmental Examination for Medical Laboratory Technologists in
Grade II / Seg.II "A" - 2021**


Se.No	Name	Working Station	ID No	Medium	Index No	Establishments Code		Financial Regulations		Subject Related Written		Subject Related Viva		Subject Related Practical	
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
262	J A U Eksat	Base Hospital - Udugama	198431504220	S	PT 138	41	P	76	P	41	P	61	P	40	P
263	P W S De Silva	District Hospital - Pallebedda	646390168V	S	OT 29	33	F	40	P	41	P	51	P	40	P

P - Pass




F- Fail




AB - Absent

NA - Not Applied

Computerized By :- P I Jiromika (D/O) - 

1st Checking

01. M R Shayamali (D/O) 
02. J A A N K Jayasinghe (D/O) 
03. P I Jiromika (D/O) 

- 01.S.A.P.N.Bandara (A/O) - Examinations... 
- 02.H D B Chandrarathne (S/A) - Examinations... 
- 03.P I Jiromika (D/O) - 

Confirmed by :- 

Sanduni G. Samarasinghe

Director (Examinations)

03.../03/2023

Sanduni G. Samarasinghe

Director (Examinations)

Ministry of Health

385, "Suwasiripaya"

Colombo 10



Chamika H. Gamage

Deputy Director General (Admin) II

For Secretary

Ministry of Health

03.../03/2023

Chamika H. Gamage

Deputy Director General (Administration) II

Ministry of Health

"Suwasiripaya"

Colombo 10.